

### ELECTRICAL RESEARCH AND DEVELOPMENT ASSOCIATION

(Accredited by the National Accreditation Board for Testing and Calibration Laboratories, Govt. of India) ERDA Road, Makarpura Industrial Estate, Vadodara-390 010, India.

EPABX : +91 (0265) 2642942, 2642964, 2642377, 3043128 / 29 / 30 / 31 / 33

: +91 (0265) 2638382 Fax

: erda@erda.org E-mail

Web : http://www.erda.org





### **TEST REPORT**

ILSI KLIC	7171			
		Sheet 1 of 4		
NAME & ADDRESS OF CUSTOMER	<b>&amp; ADDRESS OF CUSTOMER REPORT NO. :</b> RP-1718-022925			
	<b>DATE</b> : 10.08.2017			
M/s. LUBI ELECTRONICS,	CUSTOMER REF. NO. :			
Sardar Patel Ring Road, Near Karai Gam Patia,	Letter dtd: 19.07.2017			
Nana Chiloda, Dist.: Gandhinagar-382330,	DATE OF SAMPLE	DATE OF		
Gujarat, INDIA.	RECEIPT	TESTING		
	02.08.2017	09.08.2017		
SAMPLE DESCRIPTION	SAMPLE IDENTIFICATION			
Solar Photovoltaic Module Brand: "Lubi", Model: LE24P320,	ERDA Sample Code	No.:		
Rated Maximum Power (Pmax): 320W, Rated Operating Voltage (Vmax): 38.8V, Rated Operating Current (Imax): 8.3A Open Circuit Voltage (Voc): 45.50V,	ERDA-00211040			

Maximum system voltage for UL: 600V Maximum system voltage for IEC: 1000V, The Electrical characteristics are within  $\pm$  3% of the

Short Circuit Current (Isc): 9.12A,

indicated value of Pmax.

Following Specifications were declared by Customer: Module type: Poly Crystalline,

Cell Efficiency: 18.65%, Module Efficiency: 16.46%, No. of cell in series: 72, No. of cell in parallel: 1, Cell area: 245.70 cm<sup>2</sup>, Module area: 19433.51 cm<sup>2</sup>.

TEST SPECIFICATION

As per: IEC 61215-1-1: 2016

1. Performance at STC

[Clause No. 11.6]

**Enclosures** 

TEST DETAILS

: As per page No.2

Witnessed by : Mr. Sachin D. Patel of M/s. LUBI ELECTRONICS.

: As per attached Sheets.

**CHECKED BY** 

APPROVED BY

Note: 1. This report relates only to the particular sample received for testing in good condition at ERDA, Vadodara.

2. This report cannot be reproduced in part under any circumstances.

3. Publication of this report requires prior permission in writing from Director, ERDA.

5. In case of any dispute, Vadodara will be the exclusive jurisdiction & shall be construed as where

4. Only the test asked for by the customer have been carried out.
5. In case of any dispute, Vadodara will be the exclusive jurisdiction & shall be construed at the cause has arised.

Caution: ERDA is not responsible for the authenticity of photocopied or reproduced test reports.

ERDA provides support to customers for verification of the authenticity of test reports is ERDA provides support to customers for verification of the authenticity of test reports ssued by ERDA.





(Accredited by the National Accreditation Board for Testing and Calibration Laboratories, Govt. of India) ERDA Road, Makarpura Industrial Estate, Vadodara-390 010, India.

EPABX : +91 (0265) 2642942, 2642964, 2642377, 3043128 / 29 / 30 / 31 / 33

Fax : +91 (0265) 2638382 E-mail : erda@erda.org

Web: http://www.erda.org



Report No.: RP-1718			-022925 Date: 10	Sheet 2 of 4		
		Particulars of test and clause no.	Requirement as per specification	Obtained value	Remarks	
	1.	Performance at STC	To determine the electrical performance of the module varies with load at STC. The	As per Annexure 1	Evaluate by customer	
		[Clause No.11.6]	measurement at STC is used to verify the name plate information of the module.			

#### > Test method:

## Preconditioning

Initial stabilization of all the modules was obtained by exposing all modules to sunlight as per standard to an irradiation level of  $\geq 10$  kWh/m2. After this preconditioning of all the modules we measure Performance at STC (standard test condition) as per the standard.

#### > ENCLOSURES:

Product photographs: As per Annexure 2
 [Photographs No. 1 & 2]

I-V curve of photovoltaic module at STC: As per Annexure 3

PRÉPARED BY

**CHECKED BY** 





## **ELECTRICAL RESEARCH AND DEVELOPMENT ASSOCIATION**

(Accredited by the National Accreditation Board for Testing and Calibration Laboratories, Govt. of India) ERDA Road, Makarpura Industrial Estate, Vadodara-390 010, India.

EPABX : +91 (0265) 2642942, 2642964, 2642377, 3043128 / 29 / 30 / 31 / 33

: +91 (0265) 2638382 Fax

E-mail : erda@erda.org

Web : http://www.erda.org




Report No.: RP-1718-022925

Date: 10.08.2017


Sheet 3 of 4

	Annexure 1										
Irradiance	Irradiance: 1000W/m², Amb. Temp.: (25±1)°C, Corrected Cell temperature: 25°C										
ERDA- Sample Code No.	Module Serial No.	Voc (V)	Isc (A)	Pmax (w)	Vpm (V)	Ipm (A)	<b>FF</b> (%)	Module Eff. (%)	Cell Eff. (%)		
00211040	LEDCA70613070	45.827	8.992	319.657	37.567	8.509	77.6	16.449	18.070		

### Annexure 2:



## Photograph No.: 1 Photograph of marking of Photovoltaic Module



Photograph No.: 2 Complete photograph of Photovoltaic Module













# **ELECTRICAL RESEARCH AND DEVELOPMENT ASSOCIATION**

(Accredited by the National Accreditation Board for Testing and Calibration Laboratories, Govt. of India) ERDA Road, Makarpura Industrial Estate, Vadodara-390 010, India.

EPABX : +91 (0265) 2642942, 2642964, 2642377, 3043128 / 29 / 30 / 31 / 33

Fax : +91 (0265) 2638382

E-mail: erda@erda.org

Web: http://www.erda.org



Report No.: RP-1718-022925

Date: 10.08.2017

Sheet 4 of 4

#### Annexure 3:

